In re Application of REMACLE J, ET AL.

Confirmation No.: 7897
Application No.: 10/723,091
Examiner: WESSENDORF, T. D.

Page - 2 -

RECEIVED CENTRAL FAX CENTER

SEP 0 8 2006

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently amended). A method for the production of protein micro-arrays formed of discrete analyte-specific regions present on a solid support, wherein each discrete region contains a selected capture protein, said method comprising
- a) contacting a C₅ to C₇ polyol <u>simultaneously</u> with a protein contained in a spotting solution or being present on an array, wherein said polyol is between 0.5 and 10% of the spotting solution.
- b) depositing the spotting solution on one of the discrete regions of the surface of a solid support,
 - c) allowing covalent fixation of the proteins on the surface of the support,
 - d) allowing the spotted solution to dry on the support.
- 2. (Original). The method of claim 1, wherein the polyol is a linear molecule.
- 3. (Original). The method of claim 1, wherein the polyol is mannitol, maltitol, or sorbitol.
- 4. (Original). The method of claim 1, wherein the polyol is a D-enantiomer.
- 5. (Original). The method of claim 1, wherein the polyol is a L-enantiomer.
- 6. (Original). The method of claim 2, wherein the linear polyols are linked to other molecules.
- 7. (Previously presented). The method of claim 1, wherein the discrete regions in the microarray contain distinct capture proteins, and wherein steps b) and c) are repeated until the micro-

{WP331901,1}

In re Application of REMACLE J, ET AL.

Confirmation No.: 7897 Application No.: 10/723,091 Examiner: WESSENDORF, T. D.

Page - 3 -

array has at least 4 discrete analyte-specific regions of capture proteins per cm2 of solid support.

- 8. (Original). The method of claim 1, wherein the proteins deposited on the surface are antigens, antibodies, receptors, ligands, or enzymes.
- 9. (Previously presented). The method of claim 1 further comprising identifying and/or quantifying proteins selected from antigens, antibodies, receptors, ligands or enzymes.
- 10. (Previously presented). The method of claim 1, wherein the spotting solution comprises between 1 and 5 % polyol.
- 11. (Original). The method of claim 1, further comprising as a final step the step of storing the micro-array between 0 and 8°C.
- 12. (Original). The method of claim 1, further comprising as a final step the step of storing the micro-array between 15 and 30°C.
- 13. (Original). The method of claims 11, wherein the micro-array is stored under air conditions.
- 14. (Previously presented). The method of claim 11, wherein the micro-array is stored under an atmosphere of inert gas.
- 15. (Original). The method of claim 11, wherein the micro-array is stored under reduced pressure or under partial vacuum.
- 16. (Original). The method of claim 1, wherein all said capture proteins have at least 70% of their activity after 6 months of storage.

{WP331901,1}

In re Application of REMACLE J, ET AL.

Confirmation No.: 7897 Application No.: 10/723,091 Examiner: WESSENDORF, T. D.

Page - 4 -

- 17. (Original). The method of claim 1, wherein all said capture proteins have at least 70% of their activity after 12 months of-storage.
- 18. (Previously presented). The method of claim 1, wherein the spotting solution containing the polyol molecule is an aqueous solution which also contains an anti-bacterial molecule.
- 19. (Original). A kit for the detection, identification, and/or quantification, of target proteins present in a biological sample or test solution, said kit comprising a protein microarray as obtained by the method of claim 1.
- 20. (Previously presented). The method of claim 18, wherein the aqueous solution containing the polyol molecule comprises between 0.001 and 0.5% of azide or between 1 and 100 mM of borate.